



# Index

!=(différent de) ..... 3-7, 8-10  
 \$(symbole dollar) ..... 3-10  
 %(symbole pourcentage) ..... 3-8  
 ()(parenthèses) ..... 3-10  
 +(jointure externe) ..... 7-13  
 '(apostrophe) ..... 2-5  
 (barre oblique inversée) ..... 3-10  
 -(tiret) ..... 2-7, 2-9, 5-2  
 \*(étoile) ..... 2-2, 2-7, 3-10, 5-2  
 .(point) ..... 2-5, 2-7  
 /(barre oblique) ..... 2-7, 5-2  
 ?(point d'interrogation) ..... 3-10  
 @ 1-10  
 @@ ..... 1-10  
 [](crochets) ..... 3-10  
 [:alpha:](classe de caractères) ..... 3-15  
 [:alphanum:](classe de caractères) ..... 3-15  
 [:cntrl:](classe de caractères) ..... 3-15  
 [:digit:](classe de caractères) ..... 3-15  
 [:lower:](classe de caractères) ..... 3-15  
 [:print:](classe de caractères) ..... 3-15  
 [:punct:](classe de caractères) ..... 3-15  
 [:space:](classe de caractères) ..... 3-15  
 [:upper:](classe de caractères) ..... 3-15  
 [:xdigit:](classe de caractères) ..... 3-15  
 ^ (accent circonflexe) ..... 3-10  
 ^= (différent de) ..... 3-7  
 \_ (tiret bas) ..... 3-8  
 { } (accolades) ..... 3-10  
 | (barre verticale) ..... 3-10  
 || (concaténation) ..... 2-6, 4-4  
 + (plus) ..... 2-7, 2-9, 3-10, 5-2  
 < (inférieur à) ..... 8-10  
 <= (inférieur ou égal) ..... 8-10  
 <> (différent de) ..... 3-7, 8-10  
 = (égal) ..... 8-10  
 > (supérieur à) ..... 8-10  
 >= (supérieur ou égal) ..... 8-10

## A

ABS ..... 4-23  
 ACCEPT ..... 1-16  
 ACOS ..... 4-22  
 ADD\_MONTHS ..... 4-34  
 ALIAS ..... 2-2, 7-4, 7-11  
 ALL ..... 2-2, 2-4, 3-21, 8-2, 8-10, 8-13, 16-23  
 ALTER  
   FLASHBACK ARCHIVE ..... 13-26  
   ROLE ..... 16-21  
   SEQUENCE ..... 15-6  
   TABLE ..... 13-29, 14-24, 14-25, 14-30  
   USER ..... 16-5  
 ALTER DATABASE  
   SUPPLEMENTAL LOG DATA ..... 13-18, 13-23  
 ALTER SESSION  
   NLS\_COMP ..... 3-17  
   NLS\_DUAL\_CURRENCY ..... 5-7  
   NLS\_SORT ..... 3-17  
   SET ISOLATION\_LEVEL ..... 13-5  
   TIME\_ZONE ..... 4-25, 4-30  
 ALTER TABLE  
   ADD CONSTRAINT ..... 14-30  
   DISABLE CONSTRAINT ..... 14-32  
   DROP COLUMN ..... 14-26  
   DROP CONSTRAINT ..... 14-31  
   DROP UNUSED ..... 14-27  
   READ ONLY ..... 14-33  
   RENAME ..... 14-29  
   SET UNUSED ..... 14-27  
 AND ..... 3-19  
 ANY ..... 3-20, 8-12  
 AS ..... 2-2, 5-4  
 ASC ..... 2-11  
 ASCII ..... 4-15  
 ASIN ..... 4-22  
 ATAN ..... 4-22  
 AUTOCOMMIT ..... 13-20  
 Auto-jointure ..... 7-11

AUTOMATIC ORDER ..... 10-21  
 AUTOT[RACE] ..... 1-19  
 AVG ..... 6-3

**B**

BETWEEN ..... 3-19  
 BINARY ..... 3-17  
 BINARY\_DOUBLE  
     BINARY\_DOUBLE ..... 5-5  
     BINARY\_DOUBLE\_INFINITY ..... 4-18  
     BINARY\_DOUBLE\_MAX\_NORMAL ..... 4-18  
     BINARY\_DOUBLE\_MAX\_SUBNORMAL ..... 4-18  
     BINARY\_DOUBLE\_MIN\_NORMAL ..... 4-18  
     BINARY\_DOUBLE\_MIN\_SUBNORMAL ..... 4-18  
     BINARY\_DOUBLE\_NAN ..... 4-18  
 BINARY\_FLOAT  
     BINARY\_FLOAT ..... 5-5  
     BINARY\_FLOAT\_INFINITY ..... 4-18  
     BINARY\_FLOAT\_MAX\_SUBNORMAL ..... 4-18  
     BINARY\_FLOAT\_MIN\_NORMAL ..... 4-18  
     BINARY\_FLOAT\_MIN\_SUBNORMAL ..... 4-18  
     BINARY\_FLOAT\_NAN ..... 4-18  
     BINARY\_MAX\_NORMAL ..... 4-18

**C**

CACHE ..... 15-6  
 Caractère générique ..... 3-8  
 CASCADE CONSTRAINTS ..... 14-28, 14-33, 16-17  
 CASE ..... 5-17  
 CAST ..... 5-4  
 CEIL ..... 4-23  
 CHECK ..... 14-12, 14-15  
 CHECK OPTION ..... 15-2  
 CHR ..... 4-16  
 CLEAR ..... 1-15  
 COALESCE ..... 5-19  
 COLUMN ..... 1-14, 1-18  
 COMMIT ..... 1-10  
 CONCAT ..... 4-4  
 CONNECT ..... 1-8  
 CONNECT  
     Rôle ..... 16-24  
 CONNECT BY ..... 11-11  
 CONNECT\_BY\_ISCYCLE ..... 11-15  
 CONNECT\_BY\_ISLEAF ..... 11-15  
 CONNECT\_BY\_ROOT ..... 11-14  
 Connexion ..... 1-6  
 Constante chaîne de caractère ..... 2-5  
 Constante numérique ..... 2-5  
 CONSTRAINT ..... 14-11  
 Contrainte d'intégrité ..... 12-15  
 CONVERT ..... 5-4  
 COS ..... 4-22  
 COSH ..... 4-22  
 COUNT ..... 6-3  
 COVAR\_POP ..... 6-5  
 COVAR\_SAMP ..... 6-5  
 CREATE  
     CREATE ROLE ..... 16-20

DATABASE LINK ..... 15-8  
 DIRECTORY ..... 14-10  
 FLASHBACK ARCHIVE ..... 13-26  
 SEQUENCE ..... 15-5  
 SYNONYM ..... 15-7  
 USER ..... 16-2  
 VIEW ..... 15-2  
 CREATE SESSION ..... 16-3  
 CREATE TABLE  
     AS SELECT ..... 14-9  
     LOB STORE AS ..... 14-6  
         Syntaxe ..... 14-2  
     TEMPORARY ..... 14-8  
 CROSS JOIN ..... 7-3  
 CUBE ..... 6-13, 6-15, 6-16, 6-17  
 CUME\_DIST ..... 9-22  
 CURRENT\_DATE ..... 4-30  
 CURRENT\_TIMESTAMP ..... 4-31  
 CURRENTV ..... 10-10  
 CURRVAL ..... 15-6  
 CV ..... 10-10  
 CYCLE ..... 15-6

**D**

DATE ..... 5-7  
 DAY ..... 4-36, 5-9  
 DBA ..... 16-24  
 DBMS\_FLASHBACK  
     DISABLE ..... 13-16  
     ENABLE\_AT\_SYSTEM\_CHANGE\_NUMBER .. 13-16  
     ENABLE\_AT\_TIME ..... 13-16  
     GET\_SYSTEM\_CHANGE\_NUMBER ..... 13-11, 13-15  
     TRANSACTION\_BACKOUT ..... 13-23  
 DBTIMEZONE ..... 4-25  
 DECODE ..... 5-15, 5-17  
 DEFAULT ..... 12-4, 14-2, 14-25  
 DEFINE ..... 1-17  
 DELETE ..... 12-14, 12-15, 12-16  
 DENSE\_RANK ..... 9-21  
 DESC ..... 2-11  
 DESCRIBE ..... 1-12, 15-5  
 DIFERENCE ..... 8-5  
 DIMENSION ..... 10-2  
 DISABLE ..... 14-32  
 DISCONNECT ..... 1-8  
 DISTINCT ..... 2-2, 6-4, 8-2  
 DROP  
     CONSTRAINT ..... 14-31  
     ROLE ..... 16-21  
     SEQUENCE ..... 15-6  
     TABLE ..... 14-33  
     TABLE CASCADE CONSTRAINTS ..... 14-33  
     USER ..... 16-7  
     VIEW ..... 15-5  
 DUAL ..... 2-15

**E**

ECHO ..... 1-15  
 EDIT ..... 1-9

ENABLE..... 14-32  
 ERROR  
   ORA-00001 ..... 12-3, 14-16, 14-19  
   ORA-00904 ..... 14-6  
   ORA-00942 ..... 14-6  
   ORA-01017 ..... 16-3  
   ORA-01045 ..... 16-3  
   ORA-01400 ..... 14-15  
   ORA-01402 ..... 12-5, 12-13, 15-4  
   ORA-01407 ..... 12-15  
   ORA-01733 ..... 15-5  
   ORA-01950 ..... 16-4  
   ORA-02266 ..... 12-15  
   ORA-02291 ..... 14-20  
   ORA-02292 ..... 12-15, 14-21, 14-28  
   ORA-02437 ..... 14-33  
   ORA-12081 ..... 14-33  
   ORA-12899 ..... 12-3  
   ORA-28000 ..... 16-5  
 ESCAPE..... 3-10  
 EXCEPT ..... 16-23  
 EXISTS ..... 8-15  
 EXIT ..... 1-9  
 EXP ..... 4-22  
 Expression rationnelle..... 3-10  
 EXTRACT ..... 5-9

**F**

FEEDBACK..... 1-15  
 FETCH FIRST ..... 2-16  
 FIRST\_VALUE ..... 9-28  
 FLASHBACK TABLE ..... 13-29, 13-33  
 FLOOR ..... 4-23  
 Fonction  
   Fonctions Analytiques ..... 9-2  
   Fonctions de groupe..... 6-2  
   Fonctions Horizontales ..... 6-2  
   Fonctions Verticales ..... 6-2  
 FORCE..... 15-2  
 FOREIGN KEY ..... 14-12  
 FORMAT ..... 5-6, 5-7, 5-10, 5-12, 5-13, 5-14  
 FRENCH..... 3-17  
 FROM ..... 2-2, 7-3, 7-4, 8-17  
 FULL..... 7-14, 9-15

**G**

GET..... 1-9  
 GLOBAL TEMPORARY ..... 14-9  
 GRANT..... 1-4, 16-10, 16-13  
 GREATEST ..... 5-14  
 GROUP BY .. 6-5, 6-6, 6-7, 6-8, 6-9, 6-10, 6-13, 6-15, 6-17,  
   15-3  
 GROUPING ..... 6-17  
 GROUPING SETS..... 6-15, 6-17  
 GROUPING\_ID..... 6-19, 6-22

**H**

HAVING..... 6-7, 6-8

HEADING ..... 1-14  
 HIDE..... 1-17  
 HOST..... 1-10  
 HOUR..... 5-9

**I**

IDENTIFIED BY..... 16-11, 16-23  
 IGNORE NAV..... 10-19  
 IN\_..... 3-20, 8-10  
 INCREMENT ..... 15-6  
 INITCAP ..... 4-4  
 INSERT ..... 12-2, 12-4, 12-6, 12-15, 12-16, 14-2, 15-3  
 INSERT ALL ..... 12-7, 12-8  
 INSERT FIRST ..... 12-11  
 INSTR..... 4-9  
 INTERSECT..... 8-4  
 IS INFINITE..... 4-20  
 IS NAN..... 4-19  
 IS NOT NULL..... 3-5, 3-25  
 IS NULL ..... 3-4  
 IS PRESENT ..... 10-6, 10-11  
 ITERATE..... 10-24  
 ITERATE\_NUMBER..... 10-24

**J**

JOIN ON..... 7-6, 7-8  
 JOIN USING ..... 7-8  
 Jointure ..... 7-2  
 Jointure avec condition ..... 7-4  
 Jointure externe..... 7-12  
 Jointure sans condition..... 7-3

**K**

KEEP NAV..... 10-19

**L**

LAG..... 9-31  
 LAST\_DAY..... 4-35  
 LAST\_VALUE..... 9-29  
 LCD ..... 1-2  
 LDD..... 1-2, 1-4  
 Le groupe..... 6-5  
 LEAD ..... 9-32  
 LEAST..... 5-15  
 LEFT..... 7-14, 9-15  
 LENGTH ..... 4-3  
 LEVEL ..... 11-12  
 LID ..... 1-2  
 LIKE..... 3-8  
 LINESIZE..... 1-13  
 LINGUISTIC..... 3-17  
 LIST ..... 1-8  
 LISTAGG ..... 9-33  
 LISTENER ..... 15-8  
 LMD ..... 1-2, 2-2, 12-2  
 LN..... 4-22  
 LOCALTIMESTAMP ..... 4-31

LOG .....	4-22
LONG .....	8-2
LOWER .....	4-3
LPAD .....	4-5
LTRIM .....	4-6

## M

Marqueur de position .....	3-8
MAX .....	6-3
MAXVALUE .....	15-6
MEASURES .....	10-2, 10-6
MIN .....	6-3
MINUS .....	8-5
MINUTE .....	5-9
MINVALUE .....	15-6
MOD .....	4-21
Mode d'archivage	
ARCHIVELOG .....	13-18
MODEL .....	10-2
MONTH .....	4-36, 5-9
MONTHS_BETWEEN .....	4-34

## N

NANVL .....	4-19
NATURAL JOIN .....	7-10, 7-11
NCHR .....	4-16
NEXT_DAY .....	4-35
NEXTVAL .....	15-6
NOCYCLE .....	15-6
NOFORCE .....	15-2
NOT .....	3-24
NOT BETWEEN .....	3-25
NOT IN .....	3-25, 8-13
NOT LIKE .....	3-26
NOT NULL .....	6-3, 12-15, 14-2, 14-12, 14-14, 14-25, 15-3
NTH_VALUE .....	9-30
NTILE .....	9-24
NULL .....	2-10, 2-11, 6-2, 6-3, 6-4, 12-2, 12-3, 12-4, 14-14, 14-25
NULL FIRST .....	2-14, 9-7, 9-9
NULL LAST .....	2-14, 9-7, 9-9
NULLIF .....	5-18
NUMBER .....	5-5
NUMTODSINTERVAL .....	5-14
NUMTOYMINTERVAL .....	5-13
NVL .....	2-10
NVL2 .....	2-10

## O

OFFSET FETCH .....	2-16
ON COMMIT .....	14-9
ON DELETE CASCADE .....	14-22
ON DELETE SET NULL .....	14-22
Opérateur	
ALL .....	3-21
AND .....	3-22
ANY .....	3-20
BETWEEN .....	3-19

Différent de .....	3-7
Egal à .....	3-2
IN_ .....	3-20
Inférieur à .....	3-5
IS NOT NULL .....	3-5
IS NULL .....	3-4
LIKE .....	3-8
Opérateur de concaténation .....	2-6
Opérateurs arithmétique .....	2-7
Opérateurs de type DATE .....	2-9
Opérateurs ensembliste .....	8-2
Opérateurs logiques 3-2, 3-4, 3-5, 3-7, 3-8, 3-10, 3-17, 3-19, 3-20, 3-22, 3-23	
OR .....	3-23
REGEXP_LIKE .....	3-10
Supérieur à .....	3-5
ORA_ROWSCN .....	13-11
ORDER BY .....	2-11, 6-7, 6-8, 8-2, 8-7, 9-7, 9-9, 15-2
ORDER SIBLINGS .....	11-16
OUTER JOIN .....	7-12, 7-14, 9-15
OVER .....	9-2

## P

Package	
DBMS_FLASHBACK .....	13-11, 13-15, 13-23
PAGESIZE .....	1-13
Paramètre	
RECYCLEBIN .....	13-34
SEC_CASE_SENSITIVE_LOGON .....	16-3
PARTITION .....	10-2, 10-16
PARTITION BY .....	9-2
PARTITION BY OUTER .....	9-15
PERCENT_RANK .....	9-22
PIVOT .....	11-2, 11-7
PL/SQL .....	1-4, 1-5
POSITION .....	2-11
POWER .....	4-21
PREDICAT .....	3-2
PRESENTNNV .....	10-20
PRESENTV .....	10-20
PRESERVE .....	14-9
PREVIOUS .....	10-24
PRIMARY KEY .....	12-3, 14-12, 14-16, 14-19, 14-32
PRIOR .....	11-11
Privilège objet	
ALTER .....	16-9
DELETE .....	16-9
EXECUTE .....	16-9
INSERT .....	16-9
READ .....	16-9
REFERENCE .....	16-9
SELECT .....	16-9
UPDATE .....	16-9
Produit cartésien .....	7-3
PROMPT .....	1-17
Pseudocolonne .....	2-9, 2-15, 5-9, 15-6
PUBLIC .....	15-7
PURGE .....	13-34

**Q**

Q ..... 4-36  
 QUIT ..... 1-9

**R**

RANK ..... 9-20  
 RATIO\_TO\_REPORT ..... 9-23  
 READ ONLY ..... 15-2  
 REFERENCES ..... 14-12, 14-19, 14-21, 16-17  
 REGEXP\_INSTR ..... 4-10  
 REGEXP\_LIKE ..... 3-10  
 REGEXP\_REPLACE ..... 4-12  
 REGEXP\_SUBSTR ..... 4-8  
 REMARK ..... 1-12  
 RENAME ..... 14-29, 15-5  
 REPLACE ..... 4-12  
 RESSOURCE ..... 16-24  
 RETURN ..... 10-2  
 REVOKE ..... 1-4, 16-17  
 RIGHT ..... 7-14, 9-15  
 ROLLUP ..... 6-10, 6-13, 6-15, 6-16, 6-17  
 ROUND ..... 4-23, 4-36  
 ROW\_NUMBER ..... 9-18  
 ROWNUM ..... 2-15  
 RPAD ..... 4-6  
 RTRIM ..... 4-7  
 RULES ..... 10-2, 10-7, 10-13  
 RUN ..... 1-9

**S**

SAVE ..... 1-9  
 SCN\_TO\_TIMESTAMP ..... 13-11  
 SECOND ..... 5-9  
 SELECT  
   AS OF SCN | TIMESTAMP ..... 13-11  
   Le groupe ..... 6-5  
   Opérateurs ensembliste ..... 8-2  
   Projection ..... 2-2  
   Restriction ..... 3-2  
   Sélection ..... 3-2  
   Sous-requête ..... 12-6, 12-13  
   Tri du résultat ..... 2-11  
   VERSIONS BETWEEN ..... 13-13  
   Vue ..... 15-2  
 SEQUENTIAL ORDER ..... 10-21  
 SESSIONTIMEZONE ..... 4-25  
 SET ..... 12-11, 12-13  
 SET ROLE ..... 16-23  
 SHOW RECYCLEBIN ..... 13-32  
 SIGN ..... 4-23  
 SIN ..... 4-22  
 SINH ..... 4-22  
 SOME ..... 8-12  
 SOUNDEX ..... 4-15  
 Sous-requête synchronisé ..... 8-14  
 Sous-requêtes ..... 8-7  
 SPOOL ..... 1-11  
 SQL ..... 1-2, 1-4, 1-5, 2-2, 4-2

SQL\*Plus ..... 1-5, 1-6  
 SQLPLUS ..... 1-7  
 SQLPROMPT ..... 1-14  
 SQRT ..... 4-21  
 START ..... 1-10  
 START WITH ..... 11-11, 11-12, 15-3, 15-6  
 STDDEV ..... 6-4  
 STDDEV\_POP ..... 6-4  
 STDDEV\_SAMP ..... 6-4  
 SUBSTR ..... 4-7  
 SUM ..... 6-3  
 SYS\_CONNECT\_BY\_PATH ..... 11-13  
 SYS\_EXTRACT\_UTC ..... 4-29  
 SYSDATE ..... 2-9  
 SYSTIMESTAMP ..... 4-31, 5-9

**T**

TAN ..... 4-22  
 TANH ..... 4-22  
 TERMOUT ..... 1-14  
 TIME\_ZONE ..... 4-30  
 TIMESTAMP ..... 5-7  
 TIMESTAMP WITH LOCAL TIME ZONE ..... 5-7  
 TIMESTAMP WITH TIME ZONE ..... 5-7  
 TIMESTAMP\_TO\_SCN ..... 13-11  
 TIMEZONE\_ABBR ..... 5-9  
 TIMEZONE\_HOUR ..... 5-9  
 TIMEZONE\_MINUTE ..... 5-9  
 TIMEZONE\_REGION ..... 5-9  
 TIMING ..... 1-15  
 TO\_BINARY\_FLOAT ..... 5-10, 5-11  
 TO\_CHAR ..... 5-5, 5-7  
 TO\_DATE ..... 5-11  
 TO\_DSINTERVAL ..... 5-13  
 TO\_NCHAR ..... 5-5, 5-7  
 TO\_NUMBER ..... 5-10  
 TO\_TIMESTAMP ..... 5-11  
 TO\_TIMESTAMP\_TZ ..... 5-12  
 TO\_YMINTERVAL ..... 5-12  
 Transaction  
   COMMIT ..... 13-3  
   ROLLBACK ..... 13-3  
   SAVEPOINT ..... 13-3  
 TRANSLATE ..... 4-15  
 TRIMSPool ..... 1-15  
 TRUNC ..... 4-24, 4-37  
 TRUNCATE ..... 12-14  
 Type de donnée  
   BINARY\_DOUBLE ..... 4-17  
   BINARY\_FLOAT ..... 4-17  
   CHAR ..... 4-2, 14-4  
   CLOB ..... 4-2  
   DATE ..... 4-27  
   INTERVAL DAY TO SECOND ..... 4-33, 5-13, 5-14  
   INTERVAL YEAR TO MONTH ..... 4-32, 5-12, 5-13  
   LOB ..... 14-6  
   NCHAR ..... 4-2  
   NCLOB ..... 4-3  
   NUMBER ..... 4-16, 14-5  
   NVARCHAR2 ..... 4-2

TIMESTAMP .....	4-27
TIMESTAMP WITH LOCAL TIME ZONE.....	4-27
TIMESTAMP WITH TIME ZONE.....	4-27
VARCHAR2.....	4-2, 14-4
TZ_OFFSET .....	4-30

## U

UNDEFINE.....	1-17
UNION.....	8-3
UNIQUE .....	2-2, 14-12, 14-18, 14-19
UNPIVOT .....	11-2, 11-7
UNTIL.....	10-24
UPDATE.....	10-7, 12-11, 12-15, 12-16, 15-3
UPPER .....	4-4
UPSERT.....	10-7
USER .....	1-13
UTC.....	4-25

## V

V\$TIMEZONE_NAMES.....	4-25
VALUES .....	12-2, 12-4
VAR_POP.....	6-4
VAR_SAMP .....	6-4
Variable de substitution.....	1-15
VARIANCE .....	6-4
VERIFY .....	1-16
VSIZE .....	4-3
Vue du dictionnaire	
ALL_CONS_COLUMNS.....	14-13
ALL_CONSTRAINTS .....	14-12

DBA_CONSTRAINTS .....	14-16
DBA_DIRECTORIES.....	14-10
DBA_FLASHBACK_ARCHIVE .....	13-27, 13-28
DBA_FLASHBACK_ARCHIVE_TS.....	13-27
DBA_FLASHBACK_TXN_REPORT.....	13-26
DBA_FLASHBACK_TXN_STATE .....	13-26
DBA_PROFILES .....	16-8
DBA_RECYCLEBIN .....	13-32
DBA_USERS .....	16-8
FLASHBACK_TRANSACTION_QUERY.....	13-18
SESSION_PRIVS .....	16-9
USER_CONS_COLUMNS.....	14-13
USER_CONSTRAINTS .....	14-12
Vue dynamique	
V\$NLS_PARAMETERS .....	5-5
V\$NLS_VALID_VALUES .....	5-5

## W

WHEN .....	5-17, 12-8, 12-11
WHERE.....	3-2, 6-6, 6-7, 6-8, 7-4, 12-11, 12-14
WIDTH_BUCKET .....	9-26
WITH.....	8-19
WITH ADMIN OPTION.....	16-11, 16-12
WITH CHECK OPTION.....	12-5, 15-4
WITH GRANT OPTION.....	16-16
WW.....	4-36

## Y

YEAR .....	5-9
YYYY.....	4-36